



SFS PERFORMANCE SILCONE ELBOW PRICE LIST 2009



Bore mm	90 Degree				45 Degree				135 Degree				180 Degree			
	Part No.	Leg length (mm)	Wall Thickness (mm)	UK RRP	Part No.	Leg Length (mm)	Wall Thickness (mm)	UK RRP	Part No.	Leg Length (mm)	Wall Thickness (mm)	UK RRP	Part No.	Leg Length (mm)	Wall Thickness (mm)	UK RRP
6.5	E90-6.5	102	3.5	£7.52	E45-6.5	102	3.5	£8.62	E135-6.5	102	3.5	£9.72				
8	E90-8.0	102	3.5	£7.57	E45-8.0	102	3.5	£8.67	E135-8.0	102	3.5	£9.77				
9.5	E90-9.5	102	3.5	£7.61	E45-9.5	102	3.5	£8.71	E135-9.5	102	3.5	£9.81				
11	E90-11	102	3.5	£7.66	E45-11	102	3.5	£8.76	E135-11	102	3.5	£9.86				
13	E90-13	102	3.5	£7.70	E45-13	102	3.5	£8.80	E135-13	102	3.5	£9.90				
14	E90-14	102	3.5	£7.76												
16	E90-16	102	4.5	£7.96	E45-16	102	4.5	£7.96	E135-16	102	4.5	£10.45	E180-16	102	4.5	£12.65
18	E90-18	102	4.5	£8.29												
19	E90-19	102	4.5	£8.29	E45-19	102	4.5	£8.29	E135-19	102	4.5	£11.11	E180-19	102	4.5	£13.42
20	E90-20	102	4.5	£8.63												
22	E90-22	102	4.5	£8.63	E45-22	102	4.5	£8.63	E135-22	102	4.5	£11.88	E180-22	102	4.5	£13.75
25	E90-25	102	4.5	£8.96	E45-25	102	4.5	£8.96	E135-25	102	4.5	£12.98	E180-25	102	4.5	£14.30
28	E90-28	102	4.5	£9.29	E45-28	102	4.5	£9.29	E135-28	102	4.5	£14.52	E180-28	102	4.5	£15.40
30	E90-30	102	4.5	£9.51	E45-30	102	4.5									
32	E90-32	102	4.5	£9.73	E45-32	102	4.5	£9.73	E135-32	102	4.5	£15.62	E180-32	102	4.5	£16.50
35	E90-35	102	4.5	£10.06	E45-35	102	4.5	£10.06	E135-35	102	4.5	£17.16	E180-35	102	4.5	£17.05
38	E90-38	102	4.5	£10.39	E45-38	102	4.5	£10.39	E135-38	102	4.5	£18.04	E180-38	102	4.5	£18.15
41	E90-41	102	4.5	£10.72	E45-41	102	4.5	£10.72	E135-41	102	4.5	£18.48	E180-41	102	4.5	£19.25
45	E90-45	102	4.5	£11.16	E45-45	102	4.5	£11.16	E135-45	102	4.5	£19.80	E180-45	102	4.5	£23.10
48	E90-48	102	4.5	£11.49	E45-48	102	4.5	£11.49	E135-48	102	4.5	£20.90	E180-48	102	4.5	£26.40
51	E90-51	102	4.5	£11.82	E45-51	102	4.5	£11.82	E135-51	102	4.5	£21.23	E180-51	102	4.5	£29.70
54	E90-54	102	4.5	£12.15	E45-54	102	4.5	£12.15	E135-54	102	4.5	£22.22	E180-54	102	4.5	£31.47
57	E90-57	102	4.5	£12.48	E45-57	102	4.5	£12.48	E135-57	102	4.5	£22.99	E180-57	102	4.5	£32.16
60	E90-60	125	4.5	£12.81	E45-60	125	4.5	£12.81	E135-60	125	4.5	£27.48	E180-60	125	4.5	£34.10
63	E90-63	125	4.5	£13.14	E45-63	125	4.5	£13.14	E135-63	125	4.5	£29.24	E180-63	125	4.5	£35.75
65	E90-65	125	4.5	£16.11												
70	E90-70	125	4.5	£16.37	E45-70	125	4.5	£16.37	E135-70	125	4.5	£31.72				
76	E90-76	152	5.0	£20.86	E45-76	152	5.0	£20.86	E135-76	152	5.0	£42.35	E180-76	152	5.0	£42.35
80	E90-80	152	5.0	£21.55	E45-80	152	5.0	£21.55	E135-80	152	5.0	£42.63				
83	E90-83	152	5.0	£22.07	E45-83	152	5.0	£22.07								
89	E90-89	152	5.0	£23.11	E45-89	152	5.0	£23.11								
102	E90-102	152	5.0	£25.35	E45-102	152	5.0	£25.35								



Reinforcement: Polyester. Smooth inner and outer. Standard colour blue. Other colours available to order (black, red, yellow, green, purple, orange)
 Not suitable for carrying oil or fuel unless lined with fluoro-silicone. Temperature rating -50°C to 180°C. For higher temperatures Nomex reinforcement necessary



Co-ordSport Ltd, Unit 1, Cleton St, Tipton, West Midlands, DY4 7TR, UK. Prices Ex-VAT and subject to change.
 Tel: +44 (0)121 661 6263 Fax: +44 (0)121 557 1969 email: sales@coordsport.com www.coordsport.com





SFS PERFORMANCE STRAIGHT HOSE PRICE LIST 2008-09



Coolant Hose (polyester)				Connectors (polyester)			Oil & Fuel Hose (fluoro-lined)			High Temp Hose (nomex)			Wire Reinforced (polyester)		
Bore (mm)	Part No.	Length (mm)	UK RRP	Part No.	Length (mm)	UK RRP	Part No.	Length	UK RRP	Part No.	Length (mm)	UK RRP	Part No.	Length (mm)	UK RRP
6.5	SHL6.5	1000	£15.18				FHL6.5	1000	£28.60						
8.0	SHL8.0	1000	£15.95				FHL8.0	1000	£30.80						
9.5	SHL9.5	1000	£16.50				FHL9.5	1000	£33.00						
11	SHL11	1000	£16.80				FHL11	1000	£35.72						
13	SHL13	1000	£17.00				FHL13	1000	£38.45	NHL13	1000	£39.88	WHL13	1000	£31.80
16	SHL16	1000	£17.18				FHL16	1000	£42.26	NHL16	1000	£43.71	WHL16	1000	£33.15
19	SHL19	1000	£18.43				FHL19	1000	£46.37	NHL19	1000	£47.56	WHL19	1000	£34.54
22	SHL22	1000	£19.67				FHL22	1000	£53.33	NHL22	1000	£51.41	WHL22	1000	£36.11
25	SHL25	1000	£20.92	SCH25	76	£2.54	FHL25	1000	£55.90	NHL25	1000	£55.26	WHL25	1000	£37.62
28	SHL28	1000	£22.16	SCH28	76	£2.72	FHL28	1000	£59.78	NHL28	1000	£59.11	WHL28	1000	£38.81
30	SHL30	1000	£22.99	SCH30	76	£2.97	FHL30	1000	£60.39	NHL30	1000	£61.77	WHL30	1000	£41.80
32	SHL32	1000	£23.82	SCH32	76	£2.99	FHL32	1000	£63.20	NHL32	1000	£64.25	WHL32	1000	£43.70
35	SHL35	1000	£25.06	SCH35	76	£3.18	FHL35	1000	£69.28	NHL35	1000	£68.10	WHL35	1000	£46.29
38	SHL38	1000	£26.31	SCH38	76	£3.31	FHL38	1000	£76.03	NHL38	1000	£71.95	WHL38	1000	£49.35
41	SHL41	1000	£27.55	SCH41	76	£3.54	FHL41	1000	£79.25	NHL41	1000	£75.80	WHL41	1000	£49.72
45	SHL45	1000	£29.21	SCH45	76	£3.84	FHL45	1000	£82.45	NHL45	1000	£80.93	WHL45	1000	£53.39
48	SHL48	1000	£31.70	SCH48	76	£4.09	FHL48	1000	£86.92	NHL48	1000	£84.78	WHL48	1000	£56.74
51	SHL51	1000	£31.70	SCH51	76	£4.31	FHL51	1000	£89.34	NHL51	1000	£88.63	WHL51	1000	£59.14
54	SHL54	1000	£32.94	SCH54	76	£4.42	FHL54	1000	£92.34	NHL54	1000	£92.48	WHL54	1000	£63.54
57	SHL57	1000	£34.19	SCH57	76	£4.58	FHL57	1000	£91.83	NHL57	1000	£96.33	WHL57	1000	£66.00
60	SHL60	1000	£35.43	SCH60	76	£4.71	FHL60	1000	£92.41	NHL60	1000	£100.18	WHL60	1000	£71.72
63	SHL63	1000	£36.68	SCH63	76	£4.84	FHL63	1000	£107.08	NHL63	1000	£104.03	WHL63	1000	£77.55
65	SHL65	1000	£37.51	SCH65	76	£4.88	FHL65	1000	£111.21	NHL65	1000	£105.93	WHL65	1000	£80.30
68	SHL68	1000	£38.75	SCH68	76	£5.30	FHL68	1000	£116.30	NHL68	1000	£108.35	WHL68	1000	£89.10
70	SHL70	1000	£39.58	SCH70	76	£5.37	FHL70	1000	£119.66	NHL70	1000	£113.00	WHL70	1000	£99.00
76	SHL76	1000	£53.96	SCH76	76	£5.63	FHL76	1000	£150.23	NHL76	1000	£128.04	WHL76	1000	£105.60
80	SHL80	1000	£56.17	SCH80	76	£5.81	FHL80	1000	£166.17	NHL80	1000	£133.18	WHL80	1000	£108.90
83	SHL83	1000	£57.83	SCH83	76	£5.94	FHL83	1000	£168.62	NHL83	1000	£137.02	WHL83	1000	£115.50
89	SHL89	1000	£61.15	SCH89	76	£7.00	FHL89	1000	£173.71	NHL89	1000	£144.72	WHL89	1000	£124.30
102	SHL102	1000	£68.34	SCH102	76	£7.66	FHL102	1000	£176.33	NHL102	1000	£161.40	WHL102	1000	£132.00
114	SHL114	1000	£74.97	SCH114	76	£10.97	FHL114	1000	£201.40	NHL114	1000	£190.71	WHL114	1000	£148.50
127	SHL127	1000	£82.16	SCH127	76	£11.88	FHL127	1000	£215.61	NHL127	1000	£206.25	WHL127	1000	£165.00

Temperature Range:

Coolant Hose -60°C to 180°C (polyester reinforced)

High Temp Hose -60°C to 220°C (nomex reinforced)

Wall Thickness:

6.5mm-13mm: 3.5mm (3ply) 16mm to 70mm: 4.5mm (3 ply) 76mm to 102mm: 5mm (4 ply)

Wire Reinforced:

Smooth Bore, internal wire helix, convoluted outer

Colour:

Standard colour blue. Other colours available to order (black, red, yellow, purple, green, orange) NOTE NOMEX HOSES BLUE ONLY





SFS PERFORMANCE SILICONE REDUCER PRICE LIST 2008-09



Straight Reducers

Bore (mm)	Part No.	Length (mm)	UK RRP
12>8	SR12-8	102	£6.60
19-16	SR19-16	102	£7.38
22-16	SR22-16	102	£7.71
22-19	SR22-19	102	£7.71
25-16	SR25-16	102	£7.88
25-19	SR25-19	102	£7.88
32-19	SR32-19	102	£8.26
32-25	SR32-25	102	£8.26
35-25	SR35-25	102	£8.43
35-32	SR35-32	102	£8.43
38-28	SR38-28	102	£8.59
38-32	SR38-32	102	£8.59
38-35	SR38-35	102	£8.59
45-38	SR45-38	102	£8.98
48-25	SR48-25	102	£9.14
48-30	SR48-30	102	£9.14
51-38	SR51-38	102	£9.31
51-45	SR51-45	102	£9.31
54-51	SR54-51	102	£9.48
57-51	SR57-51	102	£9.64
60-48	SR60-48	102	£9.81
60-50	SR60-50	102	£9.81
60-55	SR60-55	102	£9.81
63-51	SR63-51	102	£9.97
63-57	SR63-57	102	£9.97
65-60	SR65-60	55	£10.08
70-50	SR70-50	102	£10.36
70-57	SR70-57	102	£10.36
70-60	SR70-60	102	£10.36
70-63	SR70-63	102	£10.36
73-70	SR73-70	102	£17.88
76-51	SR76-51	102	£12.27
76-63	SR76-63	102	£12.27
76-70	SR76-70	102	£12.27
80-60	SR80-60	102	£12.56
80-70	SR80-70	102	£12.56
83-70	SR83-70	75	£12.78
88-79	SR88-79	102	£13.22
89-76	SR89-76	102	£13.22
90-70	SR90-70	102	£13.22
90-80	SR90-80	102	£13.22
102-76	SR102-76	102	£14.18
102-89	SR102-89	102	£14.18
111-98	SR111-98	102	£15.06
114-98	SR114-98	102	£15.06
127-89	SR127-89	102	£16.01
127-102	SR127-102	102	£16.01

Reducing 90° Elbows

Bore (mm)	Part No.	Leg Length (mm)	UK RRP
16-13	RE90-16-13	102	£8.01
19-13	RE90-19-13	102	£8.25
19-16	RE90-19-16	102	£8.58
22-16	RE90-22-16	102	£9.35
22-19	RE90-22-19	102	£9.90
25-19	RE90-25-19	102	£11.00
32-19	RE90-32-19	102	£12.10
32-25	RE90-32-25	102	£12.65
32-28	RE90-32-28	102	£12.95
35-25	RE90-35-25	102	£13.20
35-30	RE90-35-32	102	£13.45
38-25	RE90-38-25	102	£13.75
38-32	RE90-38-32	102	£14.30
38-35	RE90-38-35	102	£14.85
42-32	RE90-42-32	102	£15.40
42-38	RE90-42-38	102	£15.68
44-25	RE90-44-25	102	£15.95
45-35	RE90-45-35	102	£16.23
45-38	RE90-45-38	102	£16.50
51-45	RE90-51-45	102	£16.89
57-51	RE90-57-51	102	£17.38
60-48	RE90-60-48	125	£19.58
60-50	RE90-60-50	125	£19.80
63-51	RE90-63-51	125	£20.35
63-55	RE90-63-55	125	£20.63
63-57	RE90-63-57	125	£20.90
65-60	RE90-65-60	125	£21.45
70-50	RE90-70-50	125	£22.00
70-60	RE90-70-60	125	£23.10
70-63	RE90-70-63	125	£23.54
76-51	RE90-76-51	125	£24.20
76-56	RE90-76-56	125	£25.85
76-60	RE90-76-60	125	£25.25
76-63	RE90-76-63	125	£25.30
80-72	RE90-80-72	125	£28.05
89-76	RE90-89-76	125	£37.89
90-50	RE90-90-50	125	£38.50
102-76	RE90-102-76	125	£44.00

Reducing 45° elbows

Bore (mm)	Part No.	Leg Length (mm)	UK RRP
25-19	RE45-25-19	102	£11.50
38-16	RE45-38-16	102	£14.85
38-35	RE45-38-35	102	£15.95
40-32	RE45-40-32	102	£16.50
57-51	RE45-57-51	102	£21.50
60-51	RE45-60-51	125	£24.20
63-51	RE45-63-51	125	£25.30
63-57	RE45-63-57	125	£25.85
65-60	RE45-65-60	125	£26.13
70-51	RE45-70-51	125	£28.60
70-60	RE45-70-60	125	£28.95
76-63	RE45-76-63	125	£30.80
80-70	RE45-80-70	125	£31.68
102-76	RE45-102-76	125	£44.00

Reinforcement: Polyester

Straight Reducer Wall Thickness

6.5mm to 13.0mm: 3.5mm (3 ply)

16mm to 70mm: 4.5mm (3 Reducing Elbow Wall Thickness)

76mm to 127mm: 5.0mm (4 ply)

25mm to 70mm: 4.5mm (3 ply)

76mm to 102mm: 5.0mm (4 ply)

Smooth inner & outer surface.

Standard colour blue, other colours available to order (black, red, yellow, purple, green, orange)

Silicone Hoses are not suitable for the transport of oil & fuel unless lined with fluoro-silicone





SFS PERFORMANCE PRICE LIST 2008-09



FLEXIDUCT BRAKE & AIR INTAKE DUCTING

Single Ply

Double Ply

Bore (mm)	Part No.	UK RRP p/m	Part No.	UK RRP p/m
25	SFD25-1	£16.50	SFD25-2	£23.10
31	SFD31-1	£17.60	SFD31-2	£24.75
38	SFD38-1	£18.15	SFD38-2	£25.30
44	SFD44-1	£18.70	SFD44-2	£26.40
51	SFD51-1	£19.80	SFD51-2	£27.50
57	SFD57-1	£20.35	SFD57-2	£28.60
63	SFD63-1	£20.90	SFD63-2	£29.70
69	SFD69-1	£21.45	SFD69-2	£32.45
76	SFD76-1	£22.55	SFD76-2	£33.00
82	SFD82-1	£24.20	SFD82-2	£35.20
89	SFD89-1	£25.30	SFD89-2	£39.60
102	SFD102-1	£26.40	SFD102-2	£44.00
114	SFD114-1	£27.50	SFD114-2	£48.40
127	SFD127-1	£29.70	SFD127-2	£55.00
140	SFD140-1	£30.36	SFD140-2	£63.01
152	SFD152-1	£32.49	SFD152-2	£70.93
178	SFD178-1	£48.36	SFD178-2	£113.50
203	SFD203-1	£57.11	SFD203-2	£115.72

Single Ply: Glass reinforced silicone ducting, exposed wire helix in bore - unlined

Double Ply: Glass reinforced silicone ducting, covered wire helix in bore - lined

Temperature Range: 315°C

Colour: Red Iron Oxide

Max Length: 4m

COLOURED CABLE CONDUIT

Bore (mm)	UK RRP p/m
20	£4.94
25	£5.49

Split conduit in blue / red

STRAIGHT HUMP HOSE

Bore (mm)	Part No.	Length (mm)	RRP
50	SHH50	76	£11.00
60	SHH60	76	£12.10
63	SHH63	76	£12.65
70	SHH70	76	£13.20
76	SHH76	76	£14.30
80	SHH80	76	£15.40

T PIECE HOSE (25mm bore spout)

Bore (mm)	Part No.	Length (mm)	RRP
32	STP32	76	£17.20
38	STP38	76	£19.80
45	STP45	76	£22.00
51	STP51	76	£24.20
55	STP55	76	£26.40
60	STP60	76	£28.60
63	STP63	76	£30.80
76	STP76	76	£33.00

VACUUM TUBING

Bore x Wall (mm)	Part Number	3mtr pack	Part Number	30mtr Coil
3.0 x 2.0	VT3-3	£4.52	VT3-30	£30.24
4.0 x 2.0	VT4-3	£5.00	VT4-30	£35.04
5.0 x 2.5	VT5-3	£6.69	VT5-30	£51.84
6.0 x 2.5	VT6-3	£7.36	VT6-30	£58.56
7.0 x 2.5	VT7-3	£8.22	VT7-30	£67.20
8.0 x 3.0	VT8-3	£8.65	VT8-30	£71.52
9.0 x 3.0	VT9-3	£9.33	VT9-30	£78.24
10.0 x 3.0	VT10-3	£10.00	VT10-30	£84.96

SFS Performance extruded silicone rubber tubing is ideal for use as:

Vacuum Lines; Washer Tubing; Coolant Overflow; Wire Insulation; Emission Control

Standard colours: blue, red, yellow, black

Reinforcement: Polyester

Wall Thickness:

16mm to 70mm: 4.5mm (3 ply)

76mm to 102mm: 5.0mm (4 ply)

Smooth inner & outer surface.

Standard colour blue

Other colours available to order.

Silicone Insulation Tape

Length m	UK RRP p/m
3	£8.50

Available in Blue / red / yellow / black

ALUMINIUM HOSE JOINERS

Bore (mm)	Part No.	RRP
13	SHJ13	£5.79
16	SHJ16	£5.79
19	SHJ19	£6.16
22	SHJ22	£6.56
25	SHJ25	£6.56
28	SHJ28	£7.70
32	SHJ32	£8.40
35	SHJ35	£8.58
38	SHJ38	£8.91
41	SHJ41	£9.98
45	SHJ45	£10.70
48	SHJ48	£12.50
51	SHJ51	£14.30
54	SHJ54	£16.34
57	SHJ57	£16.50
60	SHJ60	£17.49
63	SHJ63	£17.82
70	SHJ70	£21.60
76	SHJ76	£22.69





SFS PERFORMANCE HOSE CLIP PRICE LIST 2008-09



JUBILEE

Size	mm	UK RRP
OOO	9.5-12	£1.34
MOO	11>16	£1.35
OO	13-20	£1.35
O	16-22	£1.65
OX	18-25	£1.69
1A	22-30	£1.83
1	25-35	£1.88
1X	30-40	£1.94
1M	32-45	£2.01
2A	35-50	£2.17
2	40-55	£2.27
2X	45-60	£2.37
3	55-70	£2.52
3X	60-80	£2.68
4	70-90	£2.79
4X	85-100	£2.92
5	90-120	£3.22
6X	120-150	£3.62

304 Stainless Steel

MIKALOR LOR

mm	UK RRP
51-55	£3.95
55-59	£4.05
59-63	£4.07
63-68	£4.09
68-73	£5.76
73-79	£5.94
79-85	£6.05
85-91	£6.21
91-97	£6.32
97-104	£6.45
104-112	£6.61
112-121	£6.75
121-130	£6.86

304 Stainless Steel
Wide Band

MURRAY

Part Number	Size (mm)	UK RRP
14	28-38	£5.54
20	35-48	£5.50
28	41-60	£5.17
32	45-66	£5.13
36	50-73	£5.08
44	64-86	£5.48
52	76-98	£5.92
60	89-111	£6.62
68	102-124	£6.75
72	108-130	£6.84
84	127-149	£7.15

Constant Tension Clamps
Stainless Steel
Internally Ribbed & Sprung
Recommended for Turbo & Intercooler Use
Will not blow off



Fluoro Silicone 90 Degree					Fluoro Silicone 45 Degree				Fluoro Silicone 135 Degree				Fluoro Silicone 180 Degree			
Bore mm	Part No.	Leg length (mm)	Wall Thickness (mm)	UK RRP	Part No.	Leg Length (mm)	Wall Thickness (mm)	UK RRP	Part No.	Leg Length (mm)	Wall Thickness (mm)	UK RRP	Part No.	Leg Length (mm)	Wall Thickness (mm)	UK RRP
6.5	FE90-6.5	102	3.5	£11.15	FE45-6.5	102	3.5	£11.15	FE135-6.5	102	3.5	£13.43				
8	FE90-8.0	102	3.5	£11.30	FE45-8.0	102	3.5	£11.30	FE135-8.0	102	3.5	£13.60				
9.5	FE90-9.5	102	3.5	£11.45	FE45-9.5	102	3.5	£11.45	FE135-9.5	102	3.5	£13.76				
11	FE90-11	102	3.5	£11.60	FE45-11	102	3.5	£11.60	FE135-11	102	3.5	£13.93				
13	FE90-13	102	3.5	£11.80	FE45-13	102	3.5	£11.80	FE135-13	102	3.5	£14.15				
14	FE90-14	102	3.5	£11.92												
16	FE90-16	102	4.5	£12.28	FE45-16	102	4.5	£12.28	FE135-16	102	4.5	£14.95	FE180-16	102	4.5	£17.15
18	FE90-18	102	4.5	£12.76												
19	FE90-19	102	4.5	£12.84	FE45-19	102	4.5	£12.84	FE135-19	102	4.5	£15.88	FE180-19	102	4.5	£18.19
20	FE90-20	102	4.5	£13.25												
22	FE90-22	102	4.5	£13.40	FE45-22	102	4.5	£13.40	FE135-22	102	4.5	£16.92	FE180-22	102	4.5	£18.79
25	FE90-25	102	4.5	£13.97	FE45-25	102	4.5	£13.97	FE135-25	102	4.5	£18.30	FE180-25	102	4.5	£19.62
28	FE90-28	102	4.5	£14.53	FE45-28	102	4.5	£14.53	FE135-28	102	4.5	£20.13	FE180-28	102	4.5	£21.01
30	FE90-30	102	4.5	£14.92	FE45-30	102	4.5	£14.92								
32	FE90-32	102	4.5	£15.30	FE45-32	102	4.5	£15.30	FE135-32	102	4.5	£21.62	FE180-32	102	4.5	£22.50
35	FE90-35	102	4.5	£15.87	FE45-35	102	4.5	£15.87	FE135-35	102	4.5	£23.47	FE180-35	102	4.5	£23.36
38	FE90-38	102	4.5	£16.95	FE45-38	102	4.5	£16.95	FE135-38	102	4.5	£25.16	FE180-38	102	4.5	£25.27
41	FE90-41	102	4.5	£17.54	FE45-41	102	4.5	£17.54	FE135-41	102	4.5	£25.91	FE180-41	102	4.5	£26.68
45	FE90-45	102	4.5	£18.32	FE45-45	102	4.5	£18.32	FE135-45	102	4.5	£27.67	FE180-45	102	4.5	£30.97
48	FE90-48	102	4.5	£18.91	FE45-48	102	4.5	£18.91	FE135-48	102	4.5	£29.10	FE180-48	102	4.5	£34.60
51	FE90-51	102	4.5	£19.51	FE45-51	102	4.5	£19.51	FE135-51	102	4.5	£29.77	FE180-51	102	4.5	£38.24
54	FE90-54	102	4.5	£20.11	FE45-54	102	4.5	£20.11	FE135-54	102	4.5	£31.11	FE180-54	102	4.5	£40.36
57	FE90-57	102	4.5	£20.71	FE45-57	102	4.5	£20.71	FE135-57	102	4.5	£32.24	FE180-57	102	4.5	£41.41
60	FE90-60	125	4.5	£23.20	FE45-60	125	4.5	£23.20	FE135-60	125	4.5	£38.97	FE180-60	125	4.5	£45.59
63	FE90-63	125	4.5	£23.84	FE45-63	125	4.5	£23.84	FE135-63	125	4.5	£41.14	FE180-63	125	4.5	£47.65
65	FE90-65	125	4.5	£27.02												
70	FE90-70	125	4.5	£27.82	FE45-70	125	4.5	£27.82	FE135-70	125	4.5	£44.60				
76	FE90-76	152	5.0	£35.06	FE45-76	152	5.0	£35.06	FE135-76	152	5.0	£58.18	FE180-76	152	5	£58.18
80	FE90-80	152	5.0	£36.25	FE45-80	152	5.0	£36.25	FE135-80	152	5.0	£59.10				
83	FE90-83	152	5.0	£37.14	FE45-83	152	5.0	£37.14								
89	FE90-89	152	5.0	£38.95	FE45-89	152	5.0	£38.95								
102	FE90-102	152	5.0	£42.91	FE45-102	152	5.0	£42.91								



Reinforcement: Polyester. Smooth inner and outer. Standard colour blue. Other colours available to order (black, red, yellow, green, purple, orange)
 Lined with fluoro-silicone, suitable for carrying oil or fuel vapour/fuel filler, not designed for continuous fuel use. Temperature rating -50°C to 180°C.
 For higher temperatures Nomex reinforcement necessary. Please contact SFS Performance to check suitability for specific applications.

Straight Reducers

Bore (mm)	Part No.	Length (mm)	UK RRP
12>8	FSR12-8	102	£10.53
19-16	FSR19-16	102	£11.63
22-16	FSR22-16	102	£12.09
22-19	FSR22-19	102	£12.09
25-16	FSR25-16	102	£12.40
25-19	FSR25-19	102	£12.40
32-19	FSR32-19	102	£13.09
32-25	FSR32-25	102	£13.09
35-25	FSR35-25	102	£13.39
35-32	FSR35-32	102	£13.39
38-28	FSR38-28	102	£13.69
38-32	FSR38-32	102	£13.69
38-35	FSR38-35	102	£13.69
45-38	FSR45-38	102	£14.39
48-25	FSR48-25	102	£14.69
48-30	FSR48-30	102	£14.69
51-38	FSR51-38	102	£14.99
51-45	FSR51-45	102	£14.99
54-51	FSR54-51	102	£16.29
57-51	FSR57-51	102	£16.59
60-48	FSR60-48	102	£16.89
60-50	FSR60-50	102	£16.89
60-55	FSR60-55	102	£16.89
63-51	FSR63-51	102	£17.19
63-57	FSR63-57	102	£17.19
65-60	FSR65-60	55	£16.28
70-50	FSR70-50	102	£17.89
70-57	FSR70-57	102	£17.89
70-60	FSR70-60	102	£17.89
70-63	FSR70-63	102	£17.89
73-70	FSR73-70	102	£25.54
76-51	FSR76-51	102	£21.07
76-63	FSR76-63	102	£21.07
76-70	FSR76-70	102	£21.07
80-60	FSR80-60	102	£21.54
80-70	FSR80-70	102	£21.54
83-70	FSR83-70	75	£21.12
88-79	FSR88-79	102	£22.56
89-76	FSR89-76	102	£22.60
90-70	FSR90-70	102	£22.65
90-80	FSR90-80	102	£22.65
102-76	FSR102-76	102	£24.14
102-89	FSR102-89	102	£24.14
111-98	FSR111-98	102	£25.43
114-98	FSR114-98	102	£25.56
127-89	FSR127-89	102	£27.09
127-102	FSR127-102	102	£27.09

Reducing 90° Elbows

Bore (mm)	Part No.	Leg Length (mm)	UK RRP
16-13	FRE90-16-13	102	£12.07
19-13	FRE90-19-13	102	£12.87
19-16	FRE90-19-16	102	£13.36
22-16	FRE90-22-16	102	£14.36
22-19	FRE90-22-19	102	£15.35
25-19	FRE90-25-19	102	£16.57
32-19	FRE-90-32-19	102	£18.27
32-25	FRE90-32-25	102	£18.47
32-28	FRE90-32-28	102	£18.67
35-25	FRE90-35-25	102	£20.02
35-30	FRE90-35-32	102	£20.49
38-25	FRE90-38-25	102	£20.76
38-32	FRE90-38-32	102	£21.59
38-35	FRE90-38-35	102	£22.42
42-32	FRE90-42-32	102	£23.25
42-38	FRE90-42-38	102	£23.68
44-25	FRE90-44-25	102	£24.08
45-35	FRE90-45-35	102	£24.18
45-38	FRE90-45-38	102	£24.59
51-45	FRE90-51-45	102	£25.09
57-51	FRE90-57-51	102	£25.61
60-48	FRE90-60-48	125	£29.37
60-50	FRE90-60-50	125	£29.70
63-51	FRE90-63-51	125	£30.12
63-55	FRE90-63-55	125	£30.53
63-57	FRE90-63-57	125	£30.93
65-60	FRE90-65-60	125	£31.75
70-50	FRE90-70-50	125	£32.56
70-60	FRE90-70-60	125	£34.19
70-63	FRE90-70-63	125	£34.84
76-51	FRE90-76-51	125	£36.78
76-56	FRE90-76-56	125	£39.29
76-60	FRE90-76-60	125	£39.35
76-63	FRE90-76-63	125	£39.46
80-72	FRE90-80-72	125	£42.63
89-76	FRE90-89-76	125	£54.97
90-50	FRE90-90-50	125	£55.82
102-76	FRE90-102-76	125	£65.12

Reducing 45° elbows

Bore (mm)	Part No.	Leg Length (mm)	UK RRP
25-19	FRE45-25-19	102	£18.70
38-16	FRE45-38-16	102	£22.27
38-35	FRE45-38-35	102	£23.93
40-32	FRE45-40-32	102	£24.75
57-51	FRE45-57-51	102	£30.90
60-51	FRE45-60-51	125	£36.30
63-51	FRE45-63-51	125	£37.95
63-57	FRE45-63-57	125	£38.78
65-60	FRE45-65-60	125	£39.20
70-51	FRE45-70-51	125	£42.90
70-60	FRE45-70-60	125	£43.80
76-63	FRE45-76-63	125	£46.20
80-70	FRE45-80-70	125	£47.50
102-76	FRE45-102-76	125	£66.00

STRAIGHT HUMP HOSE

Bore (mm)	Part No.	Length (mm)	RRP
50	FSHH50	76	£16.63
60	FSHH60	76	£18.11
63	FSHH63	76	£18.77
70	FSHH70	76	£19.58
76	FSHH76	76	£20.91
80	FSHH80	76	£22.16

T PIECE HOSE (25mm bore spout)

Bore (mm)	Part No.	Length (mm)	RRP
32	FSTP32	76	£32.49
38	FSTP38	76	£26.58
45	FSTP45	76	£29.24
51	FSTP51	76	£31.83
55	FSTP55	76	£34.29
60	FSTP60	76	£36.82
63	FSTP63	76	£39.22
76	FSTP76	76	£42.26

Reinforcement: Polyester

Straight Reducer Wall Thickness 6.5mm to 13.0mm: 3.5mm **Reducing Elbow Wall Thickness** 25mm to 70mm: 4.5mm (3 ply)
 16mm to 70mm: 4.5mm (3 ply) 76mm to 102mm: 5.0mm (4 ply)
 76mm to 127mm: 5.0mm (4 ply)

Smooth inner & outer surface.

Standard colour blue, other colours available to order (black, red, yellow, purple, green, orange)

Lined with fluoro-silicone, suitable for carrying oil or fuel vapour/fuel filler, not designed for continous fuel use.

Temperature rating -50°C to 180°C. For higher temperatures Nomex reinforcement

Please contact SFS Performance to check suitability for specific applications.